

Honorable Nathan Deal Governor

Department of Public Safety

Colonel Mark W. McDonough Commissioner

Post Office Box 1456

Atlanta, Georgia 30371-1456

Phone: (404) 624-7477 Fax: (404) 624-7788

ADMINISTRATIVE ORDER

WHEREAS:

The Commissioner of the Department of Public Safety, State of Georgia, is the Chief

Executive Officer of the Department of Public Safety:

WHEREAS:

Pursuant to O.C.G.A. 40-14-1(4), and 40-14-17, the Department of Public

Safety has the responsibility of approving models of speed detection devices.

THEREFORE:

It is hereby

ORDERED:

That the Department of Public Safety approves the following models of

speed detection devices using the speed timing principle of laser:

Manufacturer

<u>Model</u>

Applied Concepts, Inc.

Stalker; Stalker LR; Stalker XLR; Stalker XS

DragonEye Technology, LLC

DragonEye Compact Speed Lidar; DragonEye Speed Lidar

*DragonEye Technology, LLC

LaserAlly

Kustom Signals, Inc.

ProLaser III; ProLaser 4; LaserCam II; DTMS; Pro-Lite; Pro-Lite+

*Kustom Signals, Inc

ProLaser II

Laser Technology, Inc.

LTI 20/20 TruCAM; TruSpeed; TruSpeed LR; TruSpeed S;

Ultralyte 100 LR; Ultralyte 200 LR; Ultralyte LR B

*Laser Technology, Inc.

Ultralyte 100; Ultralyte 200; Ultralyte Compact

*Laser Technology, Inc.

Micro Digi-Cam System; Marksman 20/20

MPH Industries/Laser Atlanta

SpeedLaser B; SpeedLaser R; SpeedLaser S; SpeedLaser T

Unipar Services

SL700

*Approved but no longer in production

That the Department of Public Safety approves those speed detection

measuring devices on the I.A.C.P.'s Conforming Product List (CPL) for enforcement

technology equipment which is published as of this date (copy attached).

ORDERED:

ORDERED:

That all earlier lists are repealed effective the date of this order as set forth

below.

SO ORDERED, this 2014.

Colonel Mark McDonough, Commissioner

Georgia Department of Public Safety

International Association of Chiefs of Police 515 N. Washington Street

Alexandria, VA 22314-2357 Telephone: 703-836-6767; 1-800-THE-IACP Fax: 703-836-4543

Web Address: www.theiacp.org



CONFORMING PRODUCT LIST (CPL)

Enforcement Technology Program International Association of Chiefs of Police (IACP)

November 25, 2013

equipment. This equipment is intended for use in highway-safety programs. Device models that appear on the CPL have been tested enforcement-technology equipment. It is important to note that these agencies must also be aware of any applicable federal, state and operated and maintained. IACP recommends that law-enforcement agencies use this CPL as one of its criteria when purchasing the CPL. These performance specifications are intended to help ensure these devices are both accurate and reliable when properly and found to be in compliance with IACP's performance specifications that were in effect when the device model was first placed on local requirements since these requirements are outside the scope of IACP's performance specifications. The International Association of Chiefs of Police (IACP) publishes a Conforming Product List (CPL) for enforcement-technology

TABLE OF CONTENTS

PART I: DOWN-THE-ROAD RADAR SPEED-MEASURING DEVICES and UNITS APPROVED BUT NO LONGER IN PRODUCTION

PART II: LIDAR SPEED-MEASURING DEVICES AND SYSTEMS and UNITS APPROVED BUT NO LONGER IN PRODUCTION

PART III: ACROSS-THE-ROAD RADAR SPEED-MEASURING DEVICES and UNITS APPROVED BUT NO LONGER IN PRODUCTION

PART I: DOWN-THE-ROAD RADAR SPEED-MEASURING DEVICES

The International Association of Chiefs of Police (IACP), through Cooperative Agreement number DTNH22-10-H-00317 with the National Highway Traffic Safety Administration (NHTSA), has tested and certifies that the following down-the-road radar speed-measuring device models meet all the requirements of the Speed-measuring Device Performance Specifications: Down-the-Road Radar Module (DOT HS 809 812, June 2004) published by NHTSA and available at http://www.nefas.dot.gov/people/injury/enforce/DownTheRoadWeb/pages/index.html. For additional information, refer to the Notes section at the end of this portion of the CPL.

				S/M	×	Pro-1000(DS)	Kustom Signals
			•	S/M	K	HR-12	Kustom Signals
•	•	•	•	S/M	K	Falcon HR	Kustom Signals
			•	S	×	Falcon	Kustom Signals
•	•	•		S/M	Ka	Directional Golden Eagle II	Kustom Signals
	•	•		S/M	K, Ka	Golden Eagle II	Kustom Signals
	•	•		S/M	Ka	Golden Eagle	Kustom Signals
	•			. S/M	K, Ka	Eagle Plus II	Kustom Signals
				S/M	K, Ka	Eagle II	Kustom Signals
•	•		•	S	~	Scout	Decatur Electronics
•	•	•		S/M	×	Genesis II Directional ²	Decatur Electronics
•	•	•		S/M	K, Ka	Genesis II Select ¹	Decatur Electronics
•	•		•	S	7	Genesis GHD	Decatur Electronics
	•	•		S/M	7	Stalker Patrol	Applied Concepts
•	•	•	•	S/M	Ka	Stalker II MDR	Applied Concepts
•	•		•	S	Ka	Stalker II SDR	Applied Concepts
•	•	•		S/M	Ka	Stalker DSR 2X	Applied Concepts
•	•	•		S/M	Ka	Stalker Dual DSR	Applied Concepts
	•	•		S/M	Ka	Stalker Dual SL	Applied Concepts
			•	S/M	K	Stalker Basic	Applied Concepts
DISCRIMINATE DIRECTION	FASTEST TARGET	SAME DIRECTION	HANDHELD	Mode (S/M)	BAND	MODEL	MANUFACTURER

¹ The radar mirror is approved as a substitute for the original display unit of the Genesis II Select radar.

² The radar mirror is approved as a substitute for the original display unit of the Genesis II Directional radar.

	•			M/S	Ka	Genesis II Select Harley- Davidson	Decatur Electronics
			•	S	K	Genesis GHS	Decatur Electronics
•	•		•	S	Ka	Genesis GHD	Decatur Electronics
•	•	•		S/M	Ka	Genesis II Directional ⁴	Decatur Electronics
	•			S/M	K., Ka	Genesis II	Decatur Electronics
				S/M	K	Genesis I Remote Display	Decatur Electronics
				S/M	X, K, Ka	Genesis I	Decatur Electronics
				S/M	X	Speedgun Magnum	CMI
				S/M	Х, К	BEE 36	Broderick Enforcement
	•			S/M	K	Stalker Dual SL	Applied Concepts
	•			S/M	K, Ka	Stalker Dual	Applied Concepts
	•		•	S/M	Ka	Stalker ATR	Applied Concepts
DIRECTION	FASTEST TARGET	SAME DIRECTION	HANDHELD	Mode (S/M)	BAND	MODEL	MANUFACTURER
		DUCTION	DOWN-THE-ROAD RADAR SPEED-MEASURING DEVICES UNITS APPROVED BUT NO LONGER IN PRODUCTION	DAR SPI UT NO L	PROVED BI	DOWN-THI	
	•	•		S/M	Ka	Enforcer	MPH Industries
- Laurent Control of the Control of	•		•	S	K	Z-35	MPH Industries
	•	A THE STATE OF THE	•	S	K	Z-25	MPH Industries
- And Andrews	•	•		S/M	X	SpeedGun Pro	MPH Industries
	•			S/M	~	Speedgun	MPH Industries
•	•	•	The state of the s	S/M	K	Ranger EZ ³	MPH Industries
- Wilderstein -	•(K and Ka Only)	• (K and Ka Only)	- Landa Navas Antoniori	S/M	X, K, Ka	Python III	MPH Industries
•	•	•		S/M	K, Ka	BEE III	MPH Industries
•		•		S/M	K, Ka	Raptor RP-1	Kustom Signals
	•	•	•	S/M	Ka	Directional Talon	Kustom Signals
	•	•	•	S/M	Ka	Talon II	Kustom Signals
DISCRIMINATE DIRECTION	FASTEST TARGET	SAME DIRECTION	HANDHELD	Mode (S/M)	BAND	MODEL	MANUFACTURER

³ MPH, Ranger EX, K-Band, please note that the directional feature was not tested in the lab due to the lab equipment not being compatible with the Ranger's radar technology.

4 The radar mirror is approved as a substitute for the original display unit of the Genesis II Directional radar.

				S/M	Х, К, Ка	BEE 36A	MPH Industries
				S/M	X	PRO-1000 (DS)	Kustom Signals
				S/M	Х, К	Trooper	Kustom Signals
	•	•	•	S/M	Ka	Talon	Kustom Signals
			•	S	K	Road Runner	Kustom Signals
				S/M	K	Pro-1000	Kustom Signals
				S/M	7	KR-11	Kustom Signals
				S/M	X, K	KR-10SP	Kustom Signals
				S/M	×	HAWK	Kustom Signals
			•	S	K	HR-8	Kustom Signals
	•	•		S/M	Ka	Golden Eagle Plus	Kustom Signals
	•	•		S/M	X, K	Golden Eagle	Kustom Signals
	•			S/M	X, K, Ka	Silver Eagle	Kustom Signals
	•			S/M	X, K, Ka	Eagle Plus	Kustom Signals
				S/M	X, K, Ka	Eagle	Kustom Signals
	•	•		S/M	Z	SpeedTrak Elite KD	McCoy's LAW LINE
	•			S/M	X	SpeedTrak Elite K	McCoy's LAW LINE
50 50 50 50 50 50 50 50 50 50 50 50 50 5	•	•		S/M	Ka	SpeedTrak Elite Ka	McCoy's LAW LINE
				S/M	K	Enforcer	Federal Signals
•				S/M	KD	SpeedTrak	Decatur Electronics
	•	•		S/M	K, Ka	SpeedTrak	Decatur Electronics
				S	۲	RA-GUN KN-1	Decatur Electronics
			•	S	X	RA-GUN GN-1	Decatur Electronics
				S/M	K	MVR-724	Decatur Electronics
				S/M	X	MVR-715	Decatur Electronics
			•	S/M	×	Hunter HHM	Decatur Electronics
				S/M	X	Hunter	Decatur Electronics
	•		• 6	S	K	Harley-Davidson Genesis VP Directional	Decatur Electronics
•	•		• 30 80 80	S	K, Ka	Genesis-VP Directional	Decatur Electronics
	•		•	S	K	Genesis-VP	Decatur Electronics
DISCRIMINATE DIRECTION	FASTEST TARGET	SAME DIRECTION	HANDHELD	Mode (S/M)	BAND	MODEL	MANUFACTURER

MANUFACTURER	MODEL	BAND	Mode (S/M)	HANDHELD	SAME DIRECTION	FASTEST TARGET
MPH Industries	Enforcer	K	WS		•	•
MPH Industries	K-15	X, K	S	•		
MPH Industries	K-35	X,Κ	S			
MPH Industries	K-55	X, K	W/S			
MPH Industries	S-80	Х, К	S/M			
MPH Industries	S-80 MC	X, K	S/M			
MPH Industries	Python (Series I)	X, K, Ka	S/M			
MPH Industries	Python Series II	X, K, Ka	S/M		• (Ka Only)	• (Ka Only)
MPH Industries	Z-15	К	S			
Tribar Industries	Muni Quip KGP	K	S	•		
Tribar Industries	Muni Quip MDR	Х, К	M/S			

- Mode "S" refers to the stationary mode and mode "M" refers to moving mode.

 Some of the models listed on the CPL may have operational features that are not a part of the model minimum performance specifications. It is important to understand that these features have not been tested or certified, even though the device itself has been certified to meet the model minimum performance specifications.
- ω manufacturer and the IACP. CPL certification for any individual device model will be voided by any third party modifications not specifically approved by the original equipment
- 4 Test results and analysis contained herein do not represent product endorsement by the IACP nor product approval or endorsement by the National Highway Traffic Safety Administration, the U.S. Department of Transportation, the National Institute of Standards and Technology, or the U.S. Department of Commerce.

PART II: LIDAR SPEED-MEASURING DEVICES AND SYSTEMS

The International Association of Chiefs of Police (IACP), through Cooperative Agreement number DTNH22-10-H-00317 with the National Highway Traffic Safety Administration (NHTSA), has tested and certifies that the following lidar speed-measuring device models and systems meet all the requirements of the Speed-measuring Device Performance Specifications: Lidar Module (DOT HS 809 811, June 2004) published by NHTSA and available at http://www.nhtsa.gov/people/injury/speedmgmt/speed_lidar_module/pages/index.html. For additional information, refer to the Notes section at the end of this portion of the CPL.

			•	TruSpeed S	Laser Technology, Inc.
			•	TruSpeed LR	Laser Technology, Inc.
			•	TruSpeed	Laser Technology, Inc.
	•	•	•	LTI 20/20 TruCAM	Laser Technology, Inc.
			•	Pro-Lite +	Kustom Signals, Inc.
			•	Pro-Lite	Kustom Signals, Inc.
•	•		•	DTMS	Kustom Signals, Inc.
		•	•	LaserCam II	Kustom Signals, Inc.
			•	ProLaser 4	Kustom Signals, Inc.
			•	ProLaser III	Kustom Signals, Inc.
			•	DragonEye Speed Lidar	DragonEye Technology, LLC
			•	DragonEye Compact Speed Lidar	DragonEye Technology, LLC
			•	Stalker XS	Applied Concepts, Inc.
			•	Stalker XLR	Applied Concepts, Inc.
			•	Stalker LR	Applied Concepts, Inc.
			•	Stalker	Applied Concepts, Inc.
UNATTENDED (6)	ATTENDED (5)				
AUTOMATIC (4)	AUTOM	MANUAL (3)			
	LIDAR SYSTEM (2)	Sa .	LIDAR DEVICE (1)	MODEL	MANUFACTURER

MANUFACTURER	MODEL	LIDAR DEVICE (1)		LIDAR SYSTEM (2)	Laboratoria de la constanta de
			MANUAL (3)	AUTOMATIC (4)	ATIC (4)
				ATTENDED (5)	UNATTENDED (6)
Laser Technology, Inc.	Ultralyte 100 LR	•			AND THE PROPERTY OF THE PROPER
Laser Technology, Inc.	Ultralyte 200 LR	•			A SAME PROPERTY OF THE PARTY OF
Laser Technology, Inc.	Ultralyte LR B	•			- Table of the Control of the Contro
MPH Industries/Laser Atlanta	SpeedLaser® B	•			
MPH Industries/Laser Atlanta	SpeedLaser® R	•			Livering
MPH Industries/Laser Atlanta	SpeedLaser® S	•	T. annual Agent promote		and the same of th
MPH Industries/Laser Atlanta	SpeedLaser® T	•		The state of the s	A constitution of the cons
Unipar Services	SL700	•			A A A A A A A A A A A A A A A A A A A

MANUFACTURER	MODEL	LIDAR DEVICE (1)	LIDAR DEVICE (1)	LIDAR SYSTEM (2)	
			MANUAL (3)	AUTOM	AUTOMATIC (4)
				ATTENDED (5)	UNATTENDED (6)
Kustom Signals, Inc.	ProLaser II	•			
DragonEye Technology, LLC	Laser Ally	•			
Laser Technology, Inc.	Marksman 20/20	•			
Laser Technology, Inc.	Micro Digi-Cam System	•		•	
Laser Technology, Inc.	001 at/larilU				
Laser Technology, Inc.	Ultralyte 200	•			
Laser Technology, Inc.	Ultralyte Compact				

NOTES:

- reflected off a target. The term "lidar device" is synonymous with "laser speed-measuring device" and "lidar unit." Lidar Device - down-the-road speed-measuring equipment, which determines target range and speed based on the time-of-flight of laser light pulses
- 2 enforcement efforts. Lidar System - a lidar device that incorporates additional equipment that is used to gather, process and/or recorded images to be used as part of speed
- \overline{n} range and speed are determined and images recorded. Manual Mode - a mode in a lidar system where an operator manually aims the lidar system to track the movement of a target vehicle while the vehicle's
- 4 to both attended and unattended operation. Automatic Mode - a mode in a lidar system, which automatically determines a target vehicle's range and speed and records images. This mode applies
- Attended Operation — an operator is an integral part of the evidence acquisition process.

 <u>Unattended Operation</u> — an operator is not an integral part of the evidence acquisition process.
- important to understand that these features have not been tested or certified, even though the device itself has been certified to meet the model minimum Some of the models listed on the CPL may have operational features that are not a part of the model minimum performance specifications. It is performance specifications.
- <u></u> manufacturer and the IACP. CPL certification for any individual device model will be voided by any third party modifications not specifically approved by the original equipment
- ૭ Test results and analysis contained herein do not represent product endorsement by the IACP nor product approval or endorsement by the National Highway Traffic Safety Administration, the U.S. Department of Transportation, the National Institute of Standards and Technology, or the U.S. Department of Commerce.

PART III: ACROSS-THE-ROAD RADAR SPEED-MEASURING DEVICES

Measuring Device Performance Specifications: Across-the-Road Radar Module, as adopted and published by Highway Safety Committee of the International Association of Chiefs of Police. The models appear on the list alphabetically by manufacturer. Listing of the model on the Conforming Product List (CPL) is not to be considered an endorsement of a specific manufacturer or model. For additional information, refer to the Notes section at the end of this portion of the CPL. The International Association of Chiefs of Police (IACP) has tested and certifies that the following speed measuring models meet all requirements of the Speed-

		REDFLEXspeed 2000M	Redflex
		Digital RCS	ACS/Gatsometer
UNATTENDED (2)	ATTENDED (1)	MODEL	MANUFACTURER
ICES ON	ACROSS-THE-ROAD RADAR SPEED-MEASURING DEVICES UNITS APPROVED BUT NO LONGER IN PRODUCTION	ACROSS-THE-ROAD UNITS APPROVED	
	•	MultaRadar	Traffipax
The state of the s		REDFLEXspeed3105MV	Redflex
	•	REDFLEXspeed 3000	Redflex
POLICE OF THE PROPERTY OF THE		RS-GS11	Gatsometer
		Axsis SC-300	American Traffic Solutions, Inc. (ATS)
• Community of the Comm		AutoPatrol 2D	American Traffic Solutions, Inc. (ATS)
UNATTENDED (2)	ATTENDED (1)	MODEL	MANUFACTURER

- Attended Operation an operator is an integral part of the evidence acquisition process.
- Unattended Operation an operator is not an integral part of the evidence acquisition process.
- NOTES:
 1) \(\frac{1}{2} \)
 3) \(\frac{5}{2} \) performance specifications. Some of the models listed on the CPL may have operational features that are not a part of the model minimum performance specifications. It is important to understand that these features have not been tested or certified, even though the device itself has been certified to meet the model minimum
- 4 manufacturer and the IACP. CPL certification for any individual device model will be voided by any third party modifications not specifically approved by the original equipment
- S Test results and analysis contained herein do not represent product endorsement by the IACP nor product approval or endorsement by the National Highway Traffic Safety Administration, the U.S. Department of Transportation, the National Institute of Standards and Technology, or the U.S. Department of Commerce.